You can COUNT on our laryngoscopes. ALWAYS.





HEINE Laryngoscopes



1

	Classic+ Macintosh	Classic+ Miller	Classic+ WIS	Classic+ Paed	FlexTip+	XP Macintosh	XP Miller
Blade size	0, 1, 2, 3, 3m, 4, 5	00, 0, 1, 2, 3, 4	1, 2, 3	0, 1	3, 4	1, 2, 3, 4	0, 1, 2, 3, 4
Material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Polycarbonate	Polycarbonate
Diameter of HiLite Fiber Bundle in mm	4,3	3,7	3,7	3,6	4,3	-	-
Reprocessing	Reusable, Sterilisation without disassembly	Reusable, Sterilisation without disassembly	Reusable, Sterilisation without disassembly	Reusable, Sterilisation without disassembly	Reusable, Sterilisation without disassembly	8	8
Recommendations	-	_	_	_	-	Suitable for low ambient temperatures	Suitable for low ambient temperatures
Guarantee	10 years Guarantee and 4000 autoclave cycles	5 years Guarantee and 4000 autoclave cycles	8	8			
Catalogue page	069	070	070	070	071	072	072

(): Single use only.



[01]

[02]

[03]

[04]

[05]

[06]

[07]

2=

3=

4=


5=

HEINE Classic+ Macintosh Fiber Optic (F.O.) Blades

Innovative Fiber Optic Technology for advanced performance

Our innovative manufacturing technology achieves even better illumination and a longer service life.


- : The HEINE HiLite Fibre Optic (F.O.) fiber bundle, optimised for use with up to 6,500 individual fibres and refined directional characteristics, achieves the best possible illumination of the pharynx even after 4,000 sterilisation cycles. For simple and safe intubation.
- : The new one-piece design from chrome-plated, stainless, high-grade steel makes the Classic+ F.O. blade even more resistant to the oxidation and/or corrosion damage that can occur in the reprocessing process due to intense use.
- : HEINE Classic+ blades have no screwed joints, no external fiber bundles and no openings that could contaminate.
- : The clean shape without any edges or corners is easy to clean, disinfect and sterilise.
- : Compatible with all handles to the ISO 7376 (green standard).
- : 10 years guarantee. After 4000 autoclave cycles of 134 °C/4 min, illuminance of at least 1,000 lux.



Size	Overall length	Blade length	Distal width	
Mac 0 [01]	82 mm	66 mm	9mm	F-000.22.100
Mac 1 [02]	94 mm	78mm	10mm	F-000.22.101
Mac 2 [03]	114 mm	98mm	14 mm	F-000.22.102
Mac 3m* [04]	134 mm	118mm	14 mm	F-000.22.143
Mac 3 [05]	134 mm	118mm	14 mm	F-000.22.103
Mac 4 [06]	155 mm	139mm	15mm	F-000.22.104
Mac 5 [07]	177 mm	161 mm	15mm	F-000.22.105

* stronger curve






HEINE Classic+ Miller, WIS and Paed Fiber Optic (F.O.) Blades

Innovative Fiber Optic Technology for advanced performance

- : The Miller Classic+ blades with improved geometry simplify intubation. The shortened shoulder of the blade dramatically improves the anesthetist's view of the epiglottis and vocal cords. The distal lip of the blade features a special atraumatic shape.
- : HEINE HiLite fiber bundle with up to 6,500 individual micro-fibers for improved light
- : Both ends of the large fiber bundle are protected for life.
- : HEINE Classic+ blades have no screwed joints, no external fiber bundles and
- : The clean shape without any edges or corners is easy to clean, disinfect and sterilise.
- : Compatible with all handles to the ISO 7376 (green standard).
- : High-quality design from chrome-plated, stainless, high-grade steel.
- : 10 years guarantee. After 4000 autoclave cycles of 134 °C/4 min, illuminance of at
- : HEINE Paed laryngoscopes have been developed specifically for the intubation of



Size	Overall length	Blade length	Distal width	
Miller 00 [01]	76 mm	51 mm	10mm	F-000.22.119
Miller 0 [02]	80 mm	55 mm	11 mm	F-000.22.120
Miller 1 [03]	100 mm	78mm	12 mm	F-000.22.121
Miller 2 [04]	152 mm	130mm	13 mm	F-000.22.122
Miller 3 [05]	192 mm	170mm	13 mm	F-000.22.123
Miller 4 [06]	207 mm	185 mm	16mm	F-000.22.124
WIS 1 [07]	110 mm	85 mm	13mm	F-000.22.131
WIS 2 [08]	130 mm	105 mm	16mm	F-000.22.132
WIS 3 [09]	160 mm	133 mm	16mm	F-000.22.133
Paed 0 [10]	82 mm	65 mm	12mm	F-000.22.110
Paed 1 [11]	95 mm	78mm	13mm	F-000.22.111



HEINE FlexTip+ Fiber Optic (F.O.) Laryngoscope Blade

A useful Tip for a difficult intubation


The FlexTip+ is a Macintosh Laryngoscope Blade with a tip which is adjustable through 70°. A lever controls the tip angle during intubation to lift the epiglottis, giving a clear view of the vocal cords. Contact with the upper row of teeth and unnecessary pressure on the tongue and soft tissue are avoided.

- : HEINE HiLite fiber bundle. With up to 6500 individual micro-fibers for improved light transmission and longer life.
- : Integrated Fiber Optics for the best possible illumination.
- : High-quality design from chrome-plated, stainless, high-grade steel.
- : Swivelling blade tip facilitates difficult intubation.
- : Reduced likelihood of damage to teeth and soft tissue.
- : Fits all standard F.O. handles (green standard). Exception: F.O. Angled Handle.
- : 5 years guarantee. After 4000 autoclave cycles of 134 °C/4 min, illuminance of at least 1,000 lux.

FlexTip+ F.O. Blade in case	Overall length	Blade length	Distal width	
Mac 3 [01]	134 mm	115mm	13mm	F-000.22.313
Mac 4	157 mm	137 mm	13mm	F-000.22.314
Mac 3 and	134 mm/	115mm/	13mm/	
Mac 4	157 mm	137 mm	13mm	F-000.22.316



[01]







XP Miller

011

031

041

[05]







Eliminate cross-infection

The Disposable Laryngoscope Blade features the HEINE Classic+ blade shape of the world's best-selling integral fiber optic blade. With proper use the disposable XP blade avoids cross-infection from one patient to the next.

- : No danger of cross-infection.
- : Hygienic and safe.
- : Optimum light transmission by oversize light guide.
- : Extremely bright: Highest level of illuminance with HEINE 2.5 V or 3.5 V LED illuminance within laryngoscope insert.
- : Blade shape optimized to ease the passage of the tube.
- : Patient-friendly with reduced risk of injury or damage to teeth.
- : Extreme torsional stiffness, practically unbreakable.
- : Blades do not "freeze" or stick to the tongue at low temperatures.
- : Compatible with all handles to the ISO 7376 (green standard).





XP blade	Overall length	Blade length	Distal width	
Miller 0 [01]	80 mm	62 mm	10mm	F-000.22.771*
Miller 1 [02]	104 mm	85 mm	10mm	F-000.22.772*
Miller 2 [03]	155 mm	136 mm	13 mm	F-000.22.773*
Miller 3 [04]	195 mm	177 mm	13 mm	F-000.22.774*
Miller 4 [05]	221 mm	194 mm	14 mm	F-000.22.775*
Mac 1 [06]	90 mm	72 mm	9mm	F-000.22.761*
Mac 2 [07]	114 mm	96 mm	10mm	F-000.22.762*
Mac 3 [08]	134 mm	116mm	14 mm	F-000.22.763*
Mac 4 [09]	154 mm	136 mm	14 mm	F-000.22.764*

* 25 disposable blades individually packed in Dispenser Box.

For HEINE XP Emergency Set, please see page 078.

(2): Single use only.





HEINE XP Disposable Laryngoscope Handle Shell

Eliminates cross-infection

The disposable laryngoscope handle shell with the globally distributed laryngoscope insert is powered by the best-selling battery insert for HEINE F.O. handles. The laryngoscope insert can be removed from the handle shell after intubation without risk of contamination.

XP Disposable Laryngoscope Handle Shell with bottom insert


without laryngoscope insert, pack of 25

F-000.22.926

Standard F.O. Laryngoscope Insert	2.5V	3.5V NiMH	3.5 V Li-ion
with XHL illumination and			
Standard F.O. Bottom Insert	F-001.22.858	F-002.22.868	-
with LED illumination and			
Standard F.O. Bottom Insert	F-008.22.858	F-008.22.868	-
with XHL illumination and			
Standard F.O.4 NT Bottom Insert	-	-	F-007.22.893*
with LED illumination and			
Standard F.O.4 NT Bottom Insert	-	-	F-008.22.893*
XHL Xenon Halogen spare bulb	X-001.88.035	X-002.88.044	X-002.88.044

* Please note: The Laryngoscope insert with the HEINE F.O.4 NT Bottom Insert can only be charged in the HEINE NT4 Table Charger.

(2): Single use only.



The XP disposable handle shell was especially designed for use with HEINE laryngoscope inserts. The HEINE laryngoscope insert is placed inside the disposable handle shell and the light is activated by turning the bottom insert. Following intubation, the user simply unscrews the bottom insert and the laryngoscope insert can be removed with no risk of contamination. The handle shell, the bottom insert and the XP blade are all disposed of.

표하여

LED IN HEINE QUALITY.



HEINE EasyClean® LED Laryngoscope Handle

Now all three handle sizes: STANDARD, SLIM AND SHORT

The HEINE EasyClean LED Laryngoscope Handle was developed to allow even simpler, faster and safer hygienic reprocessing of the handle – no complex disassembling and assembling of batteries and light unit. This saves the technical service personnel a great deal of time, and reduces the training and maintenance effort.

SIMPLE, FAST AND SAFE CLEANING

- Non-slip "Wave Design" improves the reliability of the wipe disinfectant for the handle after use ('Intermediate Disinfection').
- 100% waterproof. In the case of immersion disinfection ('High-Level Disinfection') or low temperature sterilisation processes (STERRAD[®], VHP[®] (Steris)), neither the batteries nor the LED light unit need to be removed.
- Autoclavable LED technology: No removal of the light unit required for use in autoclaves, just batteries.

PERFECT VIEW

- There's LED. And there's LED^{HQ}. HEINE has set a new standard which maintains that only the best is good enough, from the selection of materials to processing, from light intensity and thermal management to a colour rendering index as high as possible. That's what we call LED in HEINE Quality or LED^{HQ}.
- Maximum brightness: 3x brighter than conventional halogen light.
- Virtually unlimited hours of working life.

FAIL-SAFE

- **Typ. 10 hours of operating time** (EasyClean LED Laryngoscope Handle in continuous operation).
- Fade-Out Feature: brightness reduces slowly as battery operating time diminishes, for even more efficient battery use.
- Compatible with all laryngoscope blades according to ISO 7376 (Green Standard).



EasyClean LED Laryngoscope Handle	LED
EasyClean LED Laryngoscope Handle	
suitable for 2x C-batteries (LR14), complete* [01]	F-008.22.820
EasyClean LED SLIM Laryngoscope Handle	
suitable for 2 x AA-batteries (LR6), complete* [02]	F-008.22.821
EasyClean LED SHORT Laryngoscope Handle,	
suitable for 3x AAA-batteries (LR03), complete* [03]	F-008.22.822

*Delivery without batteries.

HYGIENIC REPROCESSING OPTIONS:**

Reprocessing process →	Wipe disinfection	Manual immersion disinfection	Low temperature gas plasma sterilisation (STERRAD°/VHP° (Steris))	Mechanical cleaning + disinfection (thermal disinfector)	Steam sterilisation/ autoclave
Temperature	Cold	< 60 °C	< 60°C	max. 93°C	max. 134°C/4min
with batteries	V	V	V	Batteries removed previously	Batteries removed previously
with HEINE LED	~	~	 ✓ 	~	 ✓

** Detailed cleaning instructions can be found in our instructions for use at www.heine.com

LED IN HEINE QUALITY.

HEINE F.O.4 NT Laryngoscope Handles

Li-ion in all handle sizes – XHL or LED^{HQ} illumination

- : Compatible with all laryngoscope blades to the ISO 7376 (green standard).
- : HEINE Standard F.O. Laryngoscope Handles can be converted from battery to rechargeable handles by simply exchanging the bottom insert.
- : Fade-Out Feature: brightness reduces slowly even with low residual capacity, for even more efficient use of dry or rechargeable batteries.
- : There's LED. And there's LED^{HQ}. HEINE has set a new standard which maintains that only the best is good enough, from the selection of materials to processing, from light intensity and thermal management to a colour rendering index as high as possible. That's what we call LED in HEINE Quality – or LED^{HQ}.

		•••••
Standard F.O.4 NT Laryngoscope Handle*	XHL 3.5V Li-ion	LED 3.5 V Li-ion
Standard F.O.4 NT Handle, complete [01]	F-007.22.894	F-008.22.894
Laryngoscope insert without bottom insert [02]+[03]	F-002.22.859	F-008.22.890
Bottom insert F.O.4 NT [04]*	F-002.22.884	F-002.22.884
Rechargeable battery [06]	X-007.99.383	X-007.99.383
Handle shell [07]	F-000.22.824	F-000.22.824
Spare bulb	X-002.88.044	-
NT4 table charger, only (without handle)	X-002.99.494	X-002.99.494
Standard F.O. Laryngoscope Battery Handle	XHL 2.5 V	LED 2.5 V
Standard F.O. Handle,		
suitable for 2x C-batteries (LR14), compl.** [01]	F-001.22.860	F-008.22.860
Bottom insert [05]	F-001.22.861	F-001.22.861
F.O.4 SLIM NT Laryngoscope Handle	XHL 3.5V Li-ion	LED 2.5 V Li-ion
F.O.4 SLIM NT Handle, complete [01]	F-007.22.804	F-008.22.804
Laryngoscope insert without bottom insert [02]+[03]	F-002.22.801	F-008.22.801
Bottom insert F.O.4 SLIM NT [04]	F-000.22.854	F-000.22.854
Rechargeable battery [06]+[07]	X-007.99.380	X-007.99.104
Handle shell [08]	F-000.22.804	F-000.22.804
Spare bulb	X-002.88.044	-
NT4 table charger only (without handle)	X-002.99.494	X-002.99.494
Set of two adaptors	X-000.99.086	X-000.99.086
F.O. SLIM Laryngoscope Battery Handle	XHL 2.5 V	LED 2.5 V
F.O. SLIM Handle suitable for 2 x AA-batteries (LR6), complete** [01]	F-001.22.800	F-008.22.800
	F-001.22.800 F-000.22.851	F-008.22.800 F-000.22.851
Bottom insert [05]	F-000.22.651	F-000.22.031
F.O.4 SHORT NT Laryngoscope Handle	XHL 3.5 V	LED 2.5 V
	Li-ion	Li-ion
F.O.4 SHORT NT Handle, complete [01]	F-007.22.424	F-008.22.424
Charging module [02]+[03]		X-007.99.304
Spare bulb	X-002.88.044	-
NT4 table charger only (without handle)		X-002.99.494
F.O. SHORT Laryngoscope Battery Handle F.O. SHORT Handle	XHL 2.5 V	LED 2.5V
suitable for 2x AA-batteries (LR6), complete** [04]	F-001.22.812	F-008.22.812
** Delivery without batteries.		





*Charge Status Indicator in the bottom insert. Typ. XHL 2,5 hours operating time. Typ. LED 7 hours operating time.





** Delivery without batteries.

Please note: All Li-ion versions can only be charged with the NT4 table charger.





HEINE NT4 Table Charger and Adaptors



All rechargeable HEINE F.O.4 NT Laryngoscope Handles can only be charged with the NT4 table charger. The use of an adaptor is required for some handles. For detailed information about the NT4 table charger and adaptor, please see page 126.

NT4 table charger	
without handle, with adaptors for Standard F.O.4 NT Laryngoscope	
Insert and F.O.4 SHORT NT Laryngoscope Handle	X-002.99.494
Set of two adaptors for F.O.4 SLIM NT Laryngoscope Rechargeable	
Handle [01]	X-000.99.086

	HEINE F.O. 4 Upgrade Kit	
	For converting to HEINE F.O.4 charging technology	
	For converting a Standard F.O. or Standard F.O. LED laryngoscope handle to a Standard F.O.4 NT solution.	rechargeable
	Upgrade Kit F.O.4 NT	3.5V Li-ion
	Bottom insert Standard F.O.4 NT, Li-ion L rechargeable battery,	
Constant And Angel And Angel A	NT4 table charger	F-011.99.420



HEINE Classic+ Fiber Optic (F.O.) Laryngoscope Sets

[01]

[02]

Set complete with: Paed 1, Mac 2, Mac 3 blades spare XHL Xenon Halogen bulb,

zipper case

Classic+ Sets	2.5V	3.5V Li-ion
with Standard F.O. Battery Handle [01]	F-119.10.860	
with Standard F.O.4 NT Rechargeable Handle		
with Li-ion Battery and NT4 table charger		F-119.23.865*

As above, but with LED illumination, without spare bulb

LED HQ Classic+ Sets	2.5V	3.5V Li-ion
with Standard F.O. LED Battery Handle	F-119.18.860	
with Standard F.O.4 LED NT Rechargeable Handle		
with Li-ion Battery and NT4 table charger		F-119.94.865*
with EasyClean LED Battery Handle [02]	F-119.18.820	

Set complete with: Paed 1, Mac 2, Mac 3, Mac 4 blades spare XHL Xenon Halogen bulb,

zipper case

Classic+ Sets	2.5V	3.5V Li-ion
with Standard F.O. Battery Handle [01]	F-120.10.860	
with Standard F.O.4 NT Rechargeable Handle		
with Li-ion Battery and NT4 table charger		F-120.23.865*

As above, but with LED illumination, without spare bulb

LEO HQ Classic+ Sets	2.5V	3.5V Li-ion
with Standard F.O. LED Battery Handle	F-120.18.860	
with Standard F.O.4 LED NT Rechargeable Handle		
with Li-ion Battery and NT4 table charger		F-120.94.865*
with EasyClean LED Battery Handle [02]	F-120.18.820	



Laryngoscopes





* Please note: The 3.5V Li-ion version will be delivered with the HEINE F.O.4 NT bottom insert and can only be charged in the HEINE NT4 table charger.



HEINE FlexTip+ Fiber Optic (F.O.) Laryngoscope Sets



* Please note: The 3.5V Li-ion version will be delivered with the HEINE F.O.4 NT bottom insert and can only be charged in the HEINE NT4 table charger. FlexTip+ F.O. Laryngoscope Set complete with: **Blades Mac 3, Mac 4** spare XHL Xenon Halogen bulb, case

FlexTip+ Sets	2.5V	3.5 V Li-ion
with Standard F.O. Battery Handle [01]	F-230.10.860	
with Standard F.O.4 NT Rechargeable Handle		
with Li-ion Battery and NT4 table charger		F-230.23.865*

As above, but with LED illumination, without spare bulb

LED HQ FlexTip+ Sets	2.5V	3.5 V Li-ion
with Standard F.O. LED Battery Handle	F-230.18.860	
with Standard F.O.4 LED NT Rechargeable Handle		
with Li-ion Battery and NT4 table charger		F-230.94.865*
with EasyClean LED Battery Handle F-230.18.820		
Case for FlexTip+ F.O. Laryngoscope Sets F-227, F-229 or F-230		F-227.01.000
FlexTip+ Mac 3 and Mac 4, without handle, in case		F-000.22.316

HEINE XP Emergency Set with XP Disposable Blades

Specially-developed for emergency-use featuring the HEINE XP Disposable Laryngoscope Blades. These sets are equipped with XP blades of the same anatomically-correct shape as the Classic+ blade, the world's best-selling F.O. blade with integrated fiber optic bundle.

The HEINE XP Emergency Laryngoscope Set is complete with the 5 most frequentlyused blade types and sizes for infants and adults. Instantly-ready for use with XP disposable laryngoscope handle shell included Standard F.O. laryngoscope insert with XHL illumination and alkaline batteries.

XP Emergency Set		2.5 V XHL	
with blades Miller 0, Miller 1, Mac 2, Mac 3, Mac 4, XP disposable laryngoscope handle shell, Standard F.O. laryngoscope			
insert, two alka	insert, two alkaline batteries, in case		F-258.10.858
XP* Blades	Overall Length	Distal Width	
XI Diddes	overall Eeligin	Distar Width	
Miller 0	80mm	10 mm	F-000.22.771*
Miller 1	104 mm	10 mm	F-000.22.772*
Mac 2	114 mm	10 mm	F-000.22.762*
Mac 3	134 mm	14 mm	F-000.22.763*
Mac 4	154 mm	14mm	F-000.22.764*

*25 disposable blades (2) individually packed in Dispenser Box.

2.5V XHL
F-000.22.739

Further articles or accessories see page 073.

